Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5672	707/1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L2	1153	707/8.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L3	1537	707/201.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L4	6877	707/10.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L5	2821	707/2.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L6	2	"20050234842"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L7	6	("5263155" "5151987" "6012094"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57

L8	1	adil with m with sardar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/28 21:57
L9	1	marko with milek	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L10	8	leo with man with lau	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L11	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6 and determin\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L12	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L13	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57

			•	•		
L14	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6 and determin\$4 and error and transfer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L15		memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6 and determin\$4 and error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L16	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L17	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L18	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L19	37	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57

				I	1	
L20		memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L21	41	memory with (resource near(consumpt\$4 deplet\$4 usage availability)) with error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L22	2	memory with (resource near(consumpt\$4 deplet\$4 usage availability)) near error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L23	962	memory with resource near(consumpt\$4 deplet\$4 usage availability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L24	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L25	13618	resource near(consumpt\$4 deplet\$4 usage availability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/28 21:57
L26	2189	error with (system with resource)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57

L27	19	error near log near even\$3 and (commit\$4 roll\$1back) and (system with resource)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L28	33	error near (system near resource)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L29	537	error with (system near resource)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L30		error near log near even\$3 and (commit\$4 roll\$1back)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/03/28 21:57
L31	173	error near log near even\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L32	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6 and determin\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57

L33	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L34	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L35	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L36	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L37	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L38	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/28 21:57
L39	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57

L40	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L41		"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L42		"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L43	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L44	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L45	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L46	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/03/28 21:57

						·
L47	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator and request\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L48	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L49	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L50	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L51	. 1	"20060059253" and protocol and error and application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L52		"20060059253"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON·	2007/03/28 21:57

L53	1	"20060059253" and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L54	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log\$4 and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6 and identif\$4 and error and track\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L55	0	"20060059253" and application with submit\$6 near request\$4 near protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L56	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6 and identif\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L57	0	"20060059253" and application near submit\$6 near request\$4 near protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L58	0	"20060059253" and application with submit\$6 with request\$4 with protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57

		,				
L59	0	"20060059253" and application with submit\$6 with request\$4 near protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L60	0	"20060059253" and application and submit\$6 with request\$4 with protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L61	1	"20060059253" and application and submit\$6 and request\$4 with protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L62	1	"20060059253" and application with submit\$6 and request\$4 with protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57
L63	1	"20060059253" and application with submit\$6 and request\$4 with protocol and keyword	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 21:57